


F2T Large size full-color touch screen

RFID Label Printer



High-Performance Label Printer

Intelligent and Efficient



This is a professional label printer that is stable, reliable, versatile, and easy to use. It is a reliable label printing device.

Our technical team will provide professional and effective technical support, so that you have no worries.



Stable and reliable, easy to use



Support various specification labels



Fastest 8 inches/second printing



Supports Windows and Linux systems



RFID UHF module (ISO 18000-6C)



Full featured label design software

Specifications

Model	F2T
Printing method	Direct thermal & Thermal transfer
Resolution	203 DPI(8dots/mm)
Maximum print speed	8 IPS(203.2mm/s)
Maximum print width	4.25" (108mm)
Maximum print length	315"(8000mm)
Memory	32 MB Flash ROM, 16 MB SDRAM
Media	Roll-feed, die-cut, continuous, fan-fold, tags, tickets in plain paper or thermal paper Width: 4.6"(118mm) max., 0.8"(20mm)min. Supply roll: OD 8"(203.2mm) max., ID 1"(25.4mm) min. Thickness: 0.06~1.8mm(0.002"~0.07"), including liner, support flexible on-metal tag.
Ribbon	Wax, Wax/Resin, Resin Ribbon roll: OD 2.75"(70mm) max. with ID 1"(25.4mm) core or ID 0.5"(12.7mm) core Max width: 110mm; Max length: 300M
Media sensor	Adjustable reflective & Transmissive
RFID function	High performance RFID reader/encoder, supports various labels compatible with EPC Gen 2/ISO 18000-6C.
Barcode Types	1D Barcode : Code 39, Code 93, Code 128, Codabar, EAN-8/13/128, Interleave 2 of 5, UCC-128, UPC A/E 2 and 5 add-on, etc. 2D Barcode : Data Matrix, MaxiCode, PDF417,QR, etc.
Interfaces	USB, LAN
Input Key	Five Input Key
LED	Three LED indicator lights
Display	4.3 "IPS touch screen (480X800)
Power Supply	85 ~ 264 VAC, 47 ~ 63Hz, 150W
Weight	12.5 KGS
Dimensions	W299 x D410 x H270 mm
Operation environment	Temperature: 32° F ~ +104° F (0° C ~ 40° C) Relative humidity: 5% - 85% non condensing
Storage environment	Temperature: -40° F ~ +140° F (-40° C ~ 60° C) Relative humidity: 5% - 85% non condensing
Options	Peeler, HF module, Bluetooth module(Non RFID printer)

The above specifications and parameters are subject to the actual product.

ZMIN Technologies Co.,Ltd.

Barcode / RFID Label Printer Manufacturer